

金屬管類



美亞鍍鋅鋼管

| BSA-1<A管> |      |       |      |
|-----------|------|-------|------|
| 規格        | 厚度   | 黑鋼管   | 鍍鋅鋼管 |
| 代碼        | m/m  | GIPCA | AUA  |
| 1/2"      | 1.9  | ○     | ○    |
| 3/4"      | 2.1  | ○     | ○    |
| 1"        | 2.45 | ○     | ○    |
| 1 1/4"    | 2.45 | ○     | ○    |
| 1 1/2"    | 2.6  | ○     | ○    |
| 2"        | 2.6  | ○     | ○    |
| 2 1/2"    | 3    | ○     | ○    |
| 3"        | 3    | ○     | ○    |
| 4"        | 3.25 | ○     | ○    |
| 5"        | 3.6  | ○     | ○    |
| 6"        | 3.6  | ○     | ○    |
| 8"        | 4.5  |       |      |
| 10"       | 4.5  |       |      |
| 12"       | 4.5  |       |      |
| 14"       | 6    |       |      |
| 16"       | 6    |       |      |

| BS-B<CNS6445> |      |       |      |
|---------------|------|-------|------|
| 規格            | 厚度   | 黑鋼管   | 鍍鋅鋼管 |
| 代碼            | m/m  | GIPCB | AUA  |
| 1/2"          | 2.6  | ○     | ○    |
| 3/4"          | 2.8  | ○     | ○    |
| 1"            | 3.25 | ○     | ○    |
| 1 1/4"        | 3.6  | ○     | ○    |
| 1 1/2"        | 4    | ○     | ○    |
| 2"            | 4    | ○     | ○    |
| 2 1/2"        | 4.5  | ○     | ○    |
| 3"            | 4.5  | ○     | ○    |
| 4"            | 4.5  | ○     | ○    |
| 5"            | 4.5  | ○     | ○    |

| BS-B<CNS6445> |     |     |      |
|---------------|-----|-----|------|
| 規格            | 厚度  | 黑鋼管 | 鍍鋅鋼管 |
| 6"            | 4.5 | ○   | ○    |
| 8"            | 6   | ○   | ○    |
| 10"           | 6   | ○   | ○    |
| 12"           | 6   | ○   | ○    |
| 14"           | 7.9 | ○   | ○    |
| 16"           | 7.9 | ○   | ○    |

| ASTM-A53-SCH40<CNS4626> |      |        |      |
|-------------------------|------|--------|------|
| 規格                      | 厚度   | 黑鋼管    | 鍍鋅鋼管 |
| 代碼                      | m/m  | GIP46C | AU46 |
| 1/2"                    | 2.8  | ○      | ○    |
| 3/4"                    | 2.9  | ○      | ○    |
| 1"                      | 3.4  | ○      | ○    |
| 1 1/4"                  | 3.6  | ○      | ○    |
| 1 1/2"                  | 3.7  | ○      | ○    |
| 2"                      | 3.9  | ○      | ○    |
| 2 1/2"                  | 5.2  | ○      | ○    |
| 3"                      | 5.5  | ○      | ○    |
| 4"                      | 6    | ○      | ○    |
| 5"                      | 6.5  | ○      | ○    |
| 6"                      | 7.1  | ○      | ○    |
| 8"                      | 8.2  | ○      | ○    |
| 10"                     | 9.3  | ○      | ○    |
| 12"                     | 10.3 | ○      | ○    |
| 14"                     | 9.5  | ○      | ○    |
| 16"                     | 9.5  | ○      | ○    |

| 美亞 RSG厚鋼導管線 |     |          |      |
|-------------|-----|----------|------|
| 管徑          |     | CNS 2606 |      |
|             |     | 外徑mm     | 厚度mm |
| 1/2"        | 16  | 21.3     | 2.3  |
| 3/4"        | 22  | 26.8     | 2.3  |
| 1"          | 28  | 33.6     | 2.5  |
| 1 1/4"      | 36  | 42.2     | 2.5  |
| 1 1/2"      | 42  | 48.1     | 2.5  |
| 2"          | 54  | 59.9     | 2.8  |
| 2 1/2"      | 70  | 75.5     | 2.8  |
| 3"          | 82  | 88.2     | 2.8  |
| 4"          | 104 | 113.8    | 3.5  |

\* CNS 2606鋼管一支為4M

| 美規 ANSI C80-1977 |      |
|------------------|------|
| 管徑               | 厚度mm |
| 1/2"             | 2.2  |
| 3/4"             | 2.5  |
| 1"               | 3.2  |
| 1 1/4"           | 3.2  |
| 1 1/2"           | 3.2  |
| 2"               | 3.5  |
| 2 1/2"           | 4.6  |
| 3"               | 5.0  |
| 4"               | 5.5  |

CNS 2606薄鋼導線管(EMT) / CNS 2607內塗絕緣無牙導線管(IETM)

| 品名  |        | 外徑mm | 厚度mm | 長度M  |
|-----|--------|------|------|------|
| E19 | 1/2"   | 19.1 | 1.2  | 3.66 |
| E25 | 3/4"   | 25.4 | 1.2  | 3.66 |
| E31 | 1"     | 31.8 | 1.4  | 3.66 |
| E39 | 1 1/4" | 38.1 | 1.4  | 3.66 |
| E51 | 1 1/2" | 50.8 | 1.4  | 3.66 |
| E63 | 2"     | 63.5 | 1.6  | 3.66 |
| E75 | 2 1/2" | 76.2 | 1.8  | 3.66 |

美亞304不鏽鋼配管

| 口徑   | 外徑mm | 厚度mm | SCH# |
|------|------|------|------|
| 1/8" | 10.5 | 1.2  | 10S  |
| 1/8" | 10.5 | 1.5  | 20S  |
| 1/4" | 13.8 | 1.2  | 5S   |
| 1/4" | 13.8 | 1.5  |      |
| 3/8" | 17.3 | 1.5  |      |
| 3/8" | 17.3 | 2    | 20S  |
| 2/1" | 20.4 | 2    |      |
| 2/1" | 20.4 | 2.5  |      |
| 2/1" | 21.7 | 2.5  | 20S  |
| 3/4" | 27.2 | 2    |      |
| 3/4" | 27.2 | 2.5  | 20S  |
| 1"   | 34   | 2    |      |
| 1"   | 34   | 2.5  |      |
| 1"   | 34   | 3    | 20S  |
| 1"   | 34   | 3.5  |      |
| 1"   | 34   | 4    | 40S  |

| 口徑     | 外徑mm | 厚度mm | SCH# |
|--------|------|------|------|
| 1 1/4" | 42.7 | 2    |      |
| 1 1/4" | 42.7 | 2.5  |      |
| 1 1/4" | 42.7 | 3    | 20S  |
| 1 1/4" | 42.7 | 3.5  |      |
| 1 1/4" | 42.7 | 4    | 40S  |
| 1 1/2" | 48.6 | 2    |      |
| 1 1/2" | 48.6 | 2.5  |      |
| 1 1/2" | 48.6 | 3    | 20S  |
| 1 1/2" | 48.6 | 3.5  |      |
| 1 1/2" | 48.6 | 4    | 40S  |
| 2"     | 60.5 | 2    |      |
| 2"     | 60.5 | 2.5  |      |
| 2"     | 60.5 | 3    | 10S  |
| 2"     | 60.5 | 3.5  | 20S  |
| 2"     | 60.5 | 4    | 40S  |
| 2 1/2" | 76.3 | 2    |      |
| 2 1/2" | 76.3 | 2.5  |      |
| 2 1/2" | 76.3 | 3    | 10S  |
| 2 1/2" | 76.3 | 3.5  | 20S  |
| 2 1/2" | 76.3 | 4    |      |
| 2 1/2" | 76.3 | 5    |      |
| 3"     | 89.1 | 2    |      |
| 3"     | 89.1 | 2.5  |      |
| 3"     | 89.1 | 3    | 10S  |
| 3"     | 89.1 | 3.5  |      |
| 3"     | 89.1 | 4    | 20S  |
| 3"     | 89.1 | 5    |      |
| 3"     | 89.1 | 5.5  | 40S  |

| 口徑  | 外徑mm  | 厚度mm | SCH# |
|-----|-------|------|------|
| 4"  | 114.3 | 2    | 10S  |
| 4"  | 114.3 | 2.5  |      |
| 4"  | 114.3 | 3    |      |
| 4"  | 114.3 | 3.5  |      |
| 4"  | 114.3 | 4    | 20S  |
| 4"  | 114.3 | 5    | 40S  |
| 4"  | 114.3 | 6    |      |
| 5"  | 139.8 | 2.5  |      |
| 5"  | 139.8 | 3    |      |
| 5"  | 139.8 | 3.5  | 10S  |
| 5"  | 139.8 | 4    | 20S  |
| 5"  | 139.8 | 5    |      |
| 5"  | 139.8 | 6    |      |
| 6"  | 165.2 | 3    |      |
| 6"  | 165.2 | 3.5  | 10S  |
| 6"  | 165.2 | 4    | 20S  |
| 6"  | 165.2 | 5    |      |
| 6"  | 165.2 | 6    |      |
| 6"  | 165.2 | 6    |      |
| 8"  | 216.3 | 3    | 10S  |
| 8"  | 216.3 | 3.5  |      |
| 8"  | 216.3 | 4    |      |
| 8"  | 216.3 | 5    |      |
| 8"  | 216.3 | 6.5  | 20S  |
| 10" | 267.4 | 3    | 10S  |
| 10" | 267.4 | 3.5  |      |
| 10" | 267.4 | 4    |      |
| 10" | 267.4 | 5    |      |
| 10" | 267.4 | 6.5  | 20S  |
| 12" | 318.5 | 3    | 5S   |
| 12" | 318.5 | 3.5  |      |
| 12" | 318.5 | 4    |      |
| 12" | 318.5 | 5    |      |
| 12" | 318.5 | 6.5  | 10S  |

| 304不鏽鋼壓接管 |    |       |     |
|-----------|----|-------|-----|
| 口徑        | 標稱 | 外徑    | 厚度  |
| 1/2"      | 13 | 15.88 | 0.8 |
| 3/4"      | 20 | 22.22 | 1   |
| 1"        | 25 | 28.58 | 1   |
| 1 1/4"    | 30 | 34    | 1.2 |
| 1 1/2"    | 40 | 42.7  | 1.2 |
| 2"        | 50 | 48.6  | 1.2 |
| 2 1/4"    | 60 | 60.5  | 1.5 |

\*註1:符合CNS6331及JIS G3459規範

美亞不鏽鋼被覆車牙、被覆壓接管

| MK-12s暗管(車牙) |        |         |
|--------------|--------|---------|
| 規格           | 管厚度m/m | 被覆厚度m/m |
| 1/2"(15)     | 2.5    | 8       |
| 3/4"(20)     | 2.5    |         |
| 1"(25)       | 3      |         |
| 1 1/4"(32)   | 3      |         |
| 1 1/2"(40)   | 3      | 9       |
| 2"(50)       | 3      | 9       |
| 2 1/2"(65)   | 3      | 10      |
| 3"(80)       | 3      | 10      |
| 3"(80)       | 4      | 10      |
| 4"(100)      | 3      | 10      |
| 4"(100)      | 4      | 10      |

| MK-02s暗管(壓接) |        |         |
|--------------|--------|---------|
| 規格           | 管厚度m/m | 被覆厚度m/m |
| 1/2"(13)     | 0.8    |         |
| 3/4"(20)     | 1      |         |
| 1"(25)       | 1      |         |
| 1 1/4"(30)   | 1.2    | 7       |
| 1 1/2"(40)   | 1.2    | 8       |
| 2"(50)       | 1.2    | 9       |
| 2 1/2"(60)   | 1.5    | 9       |

美亞不鏽鋼被覆車牙管

| 規格         | 管厚度m/m | 被覆厚度m/m     |             |              |
|------------|--------|-------------|-------------|--------------|
|            |        | MK-11明管(車牙) | MK-12暗管(車牙) | MK-13冷水管(車牙) |
| 1/2"(15)   | 2.5    | 6           | 2.6         | 0.8          |
| 3/4"(20)   | 2.5    | 6           | 3.3         | 0.8          |
| 1"(25)     | 3      | 6           | 4.5         | 0.8          |
| 1 1/4"(32) | 3      | 8           | 5           | 0.8          |
| 1 1/2"(40) | 3      | 9           | 5           | 0.8          |
| 2"(50)     | 3      | 9           | 5           | 0.8          |
| 2 1/2"(65) | 3      | 10          | 5           | 0.8          |
| 3"(80)     | 3      | 10          | 5           | 0.8          |
| 3"(80)     | 4      | 10          | 5           |              |
| 4"(100)    | 3      | 10          | 5           | 0.8          |
| 4"(100)    | 4      | 10          | 5           |              |

美亞不鏽鋼被覆壓接管

| 規格         | 管厚度m/m | 被覆厚度m/m     |             |              |
|------------|--------|-------------|-------------|--------------|
|            |        | MK-11明管(車牙) | MK-12暗管(車牙) | MK-13冷水管(車牙) |
| 1/2"(13)   | 0.8    | 6           | 2.6         | 0.8          |
| 3/4"(20)   | 1      | 6           | 3.3         | 0.8          |
| 1"(25)     | 1      | 6           | 4.5         | 0.8          |
| 1 1/4"(30) | 1.2    | 7           | 5           | 0.8          |
| 1 1/2"(40) | 1.2    | 8           | 5           | 0.8          |
| 2"(50)     | 1.2    | 9           | 5           | 0.8          |
| 2 1/2"(60) | 1.5    | 9           | 5           | 0.8          |

金屬軟管

| 品名     | 金屬軟管 | 防水軟管 |
|--------|------|------|
| 3/8"   | ○    | ○    |
| 1/2"   | ○    | ○    |
| 3/4"   | ○    | ○    |
| 1"     | ○    | ○    |
| 1 1/4" | ○    | ○    |
| 1 1/2" | ○    | ○    |
| 2"     | ○    | ○    |
| 2 1/2" | ○    | ○    |
| 3"     | ○    | ○    |
| 4"     | ○    | ○    |



保曲加軟管

| 規格           | 1/2"(19) | 3/4"(25) | 1"(31) | 1 1/4"(39) | 1 1/2"(51) | 2"(63) | 2 1/2"(75) | 3"(88) | 4"(104) |
|--------------|----------|----------|--------|------------|------------|--------|------------|--------|---------|
| 保曲加軟管        | ○        | ○        | ○      | ○          | ○          | ○      | ○          | ○      | ○       |
| 保曲加防水軟管      | ○        | ○        | ○      | ○          | ○          | ○      | ○          | ○      | ○       |
| 保曲加盒接、接管     | ○        | ○        | ○      | ○          | ○          | ○      | ○          | ○      | ○       |
| 保曲加管接(接EMT管) | ○        | ○        | ○      | ○          | ○          | ○      | ○          | ○      | ○       |
| 保曲加防水盒接      | ○        | ○        | ○      | ○          | ○          | ○      | ○          | ○      | ○       |

